

# REHAB EUROPE



## Spare Parts Rehab



DEVELOPMENT  
PRODUCTION  
SALE



REHAB Europe s.r.o.

# Services you can rely on.



**Mr. Vladimír Valenta**


Europe Office

**R**EHAB Europe s.r.o. was established in 2019 as a result of connection of 30 years of manufacturing experience of Krypton Industries Limited (India) and more than twenty years of experience in trade and sales of spare parts in the REHAB segment on the European market. Our goal is long-term cooperation and support of existing and future customers in Europe, both in the field of standard products and customized projects too. Our benefits include support and communication with customers directly in Europe, as well as daily communication and operative solution of customer requirements with the production plant in India.

**Europe Office**

REHAB Europe s.r.o.  
Nádražní 48, 514 01 Jilemnice  
CZECH REPUBLIC

Krypton Industries Limited  
410, Vardaan Building  
25A Camac Street, Kolkata – 700 016  
West Bengal , INDIA




REHAB Europe s.r.o.

Complete **wheels,**  
castor wheels, polyurethane  
**tyres,** pneumatic tyres,  
foam filled tyres for electric  
wheelchairs, aluminium castor  
wheels, forks, rollators and  
electric wheelchairs  
accessories,  
armpads, seat cushions,  
crutches and other.

**REHAB Europe s.r.o.**

Nádražní 48  
514 01 Jilemnice  
Czech Republic  
Phone: +420 737 262 162  
Email: vladimir@rehabeurope.cz





# Content

## Page

### 4-7 Aluminium Wheels

- 4" Aluminium Wheel with Polyurethane Tyre
- 5" Aluminium Wheel with Polyurethane Tyre

### 8-17 Wheels with Polyurethane Tyre

- 5" Wheels with Polyurethane Tyre
- 6" Wheels with Polyurethane Tyre
- 7" Wheels with Polyurethane Tyre
- 8" Wheels with Polyurethane Tyre
- 8" Wheel with TPR Tyre
- 10" Baby Strollers Wheel
- 12" Wheels with Polyurethane Tyre

### 18-19 Wheels with Rubber Tyre

- 5" Wheels with Solid Rubber Tyre

### 20-23 Rear Wheels Aluminium & Plastic

- 24" Aluminium Spoke Wheels
- 24" Plastic Spoke Wheels

### 24-36 Polyurethane Tyres

- WC
- KLB
- KL
- KB
- ECO-LN
- ECO-RX
- KDB
- PYD

### 37-48 Polyurethane Parts

- Arm Pads and Foam Parts
- Seat Cushion

### 49 Others

- Ice Peak



## Profile Treads



SMOOTH

## Profile Rim



AL


## Legend



Wheel diameter  
[mm]



Wheel width  
[mm]



Hub length  
[mm]



Axle diameter  
[mm]



Profile Treads



Colours



Weight [g]



Load capacity [kg]

REHAB Europe s.r.o.

---

# Aluminium Wheels

---




4"

# Aluminium Wheels



## 4" Aluminium Wheel with Polyurethane Tyre

DESCRIPTION:  
Light aluminium wheel for wheelchairs.



Article code		[mm]									kg	Price/€
PUW200027	AL	100 × 32	100	32	26	8	Smooth	Silver	180 g	30 kg		
PUW200028	AL	100 × 32	100	32	26	8	Smooth	Black	180 g	30 kg		
PUW200029	AL	100 × 32	100	32	26	8	Smooth	Red	180 g	30 kg		
PUW200030	AL	100 × 32	100	32	26	8	Smooth	Blue	180 g	30 kg		



REHAB Europe s.r.o.  
Nádražní 48  
514 01 Jilemnice  
Czech Republic  
Phone: +420 737 262 162  
Email: vladimir@rehabeurope.cz




5"

# Aluminium Wheels




## 5" Aluminium Wheel with Polyurethane Tyre

DESCRIPTION:  
Light aluminium wheel for wheelchairs.



Article code		[mm]									kg	Price/€
PUW200023	AL	125 × 35	125	35	26	8	Smooth	Silver	245 g	35 kg		
PUW200024	AL	125 × 35	125	35	26	8	Smooth	Black	245 g	35 kg		
PUW200025	AL	125 × 35	125	35	26	8	Smooth	Red	245 g	35 kg		
PUW200026	AL	125 × 35	125	35	26	8	Smooth	Blue	245 g	35 kg		



REHAB Europe s.r.o.

Nádražní 48

514 01 Jilemnice

Czech Republic

Phone: +420 737 262 162


Email: vladimir@rehabeuropa.cz



## Profile Treads




SMOOTH




RACER




SWIFT



RC



RL



M28

## Profile Rim



HOLLOW



STANDARD


## Legend



Wheel diameter  
[mm]



Wheel width  
[mm]



Hub length  
[mm]



Axle diameter  
[mm]



Profile Treads



Colours



Weight [g]



kg  
Load capacity [kg]

REHAB Europe s.r.o.

---

# Wheels with Polyurethane Tyre

---




5"

# Wheels with Polyurethane Tyre



## 5" Wheels with Polyurethane Tyre

DESCRIPTION:  
Light plastic wheel for wheelchairs.



Article code	[mm]									kg	Price/€
PUW01609-38	125 × 32	125	32	38	8	RC	Grey	200 g	30 kg		
PUW01609B-38	125 × 32	125	32	38	8	RC	Black	200 g	30 kg		
PUW01609-45	125 × 32	125	32	45	8	RC	Grey	200 g	30 kg		
PUW01609B-45	125 × 32	125	32	45	8	RC	Black	200 g	30 kg		

Article code	[mm]									Load	Price/€
PUW30008-45	125 × 40	125	40	45	8	Smooth	Grey	270 g	35 kg		
PUW30009-45	140 × 40	140	40	45	8	Smooth	Grey	350 g	40 kg		



REHAB Europe s.r.o.  
Nádražní 48  
514 01 Jilemnice  
Czech Republic  
Phone: +420 737 262 162  
Email: vladimir@rehabeuropa.cz


6"

# Wheels with Polyurethane Tyre



## 6" Wheels with Polyurethane Tyre

DESCRIPTION:  
Light plastic wheel for wheelchairs.



Article code	[mm]								kg	Price/€
PUW01605-36	150 × 32	150	32	36	8	RL	Grey	290 g	30 kg	
PUW01605B-36	150 × 32	150	32	36	8	RL	Black	290 g	30 kg	
PUW01605-38	150 × 32	150	32	38	8	RL	Grey	290 g	30 kg	
PUW01605B-38	150 × 32	150	32	38	8	RL	Black	290 g	30 kg	
PUW01605-45	150 × 32	150	32	45	8	RL	Grey	290 g	30 kg	
PUW01605B-45	150 × 32	150	32	45	8	RL	Black	290 g	30 kg	



150 × 32 mm  
45 mm



150 × 32 mm  
38 mm



REHAB Europe s.r.o.  
Nádražní 48  
514 01 Jilemnice  
Czech Republic  
Phone: +420 737 262 162  
Email: vladimir@rehabeurope.cz


7"

# Wheels with Polyurethane Tyre



## 7" Wheels with Polyurethane Tyre

DESCRIPTION:  
Light plastic wheel for wheelchairs.



Article code	[mm]								kg	Price/€
PUW02210-60	175 × 25	178	27	60	8	RC	Grey	330 g	30 kg	
PUW02210B-60	175 × 25	178	27	60	8	RC	Black	330 g	30 kg	

Article code	[mm]								Load	Price/€
PUW01702-45	175 × 40	170	42	45	8	RL	Grey	430 g	45 kg	
PUW01702B-45	175 × 40	170	42	45	8	RL	Black	430 g	45 kg	
PUW01702-60	175 × 40	170	42	60	8	RL	Grey	430 g	45 kg	
PUW01702B-60	175 × 40	170	42	60	8	RL	Black	430 g	45 kg	



175 × 25 mm



175 × 25 mm



175 × 40 mm



175 × 40 mm



REHAB Europe s.r.o.

Nádražní 48  
514 01 Jilemnice  
Czech Republic  
Phone: +420 737 262 162  
Email: vladimir@rehabeurope.cz


8"

# Wheels with Polyurethane Tyre



## 8" Wheels with Polyurethane Tyre

DESCRIPTION:  
Light plastic wheel for wheelchairs.



Article code	[mm]								kg ↓↑	Price/€
PUW02105-45	200 × 30	200	27	45	8	RC	Grey	410 g	35 kg	
PUW02105B-45	200 × 30	200	27	45	8	RC	Black	410 g	35 kg	
PUW02105-60	200 × 30	200	27	60	8	RC	Grey	410 g	35 kg	
PUW02105B-60	200 × 30	200	27	60	8	RC	Black	410 g	35 kg	

Article code	[mm]								Load	Price/€
PUW01502-60-ECO	200 × 50	190	45	60	8	RL	Grey	480 g	50 kg	
PUW01502B-60-ECO	200 × 50	190	45	60	8	RL	Black	480 g	50 kg	
PUW01502-60-REAL	200 × 50	200	50	60	8	RL	Grey	560 g	50 kg	
PUW01502B-60-REAL	200 × 50	200	50	60	8	RL	Black	560 g	50 kg	



200 × 30 mm



200 × 30 mm



200 × 50 mm  
REAL



200 × 50 mm  
ECO



REHAB Europe s.r.o.

Nádražní 48  
514 01 Jilemnice  
Czech Republic  
Phone: +420 737 262 162  
Email: vladimir@rehabeurope.cz


# 8" Roll

# Rollator Wheel TPR Tyre



## 8" Wheel with TPR Tyre

DESCRIPTION:  
Light plastic wheel for rollators.



Article code	[mm]									Price/€
TPRW0001	190 × 45	190	45	60	8	RC	Dark grey	390 g	30 kg	



REHAB Europe s.r.o.  
Nádražní 48  
514 01 Jilemnice  
Czech Republic  
Phone: +420 737 262 162  
Email: vladimir@rehabeurope.cz




10"(7")

# Baby Strollers Wheel



## 10"(7") Baby Strollers Wheel

DESCRIPTION:  
Plastic wheel for baby strollers  
with polyurethane tyre.



Article code	[mm]								kg ↓ ↓	Price/€
PUW01312-46	245 × 50	245	50	46,5	12	RACER	Grey	810 g	50 kg	
PUW01312B-46	245 × 50	245	50	46,5	12	RACER	Black	810 g	50 kg	

Article code	[mm]								kg ↓ ↓	Price/€
PUW30012-60	175 × 40	175	40	60	8	RACER	Grey	475 g	45 kg	
PUW30012B-60	175 × 40	175	40	60	8	RACER	Black	475 g	45 kg	



245 × 50 mm



245 × 50 mm



175 × 50 mm



REHAB Europe s.r.o.

Nádražní 48  
514 01 Jilemnice  
Czech Republic  
Phone: +420 737 262 162  
Email: vladimir@rehabeuropa.cz


12"

# Wheels with Polyurethane Tyre



## 12" Wheels with Polyurethane Tyre

DESCRIPTION:  
Light plastic wheel for wheelchairs.



Article code [mm] kg Price/€

### rim hollow PA6 GF15%

PUW01208-38-H	310 x 42	12 <sup>1/2</sup> x 2 <sup>1/4</sup>	42	38	12	RC	Grey	1 250 g	50 kg	
PUW01208B-38-H	310 x 42	12 <sup>1/2</sup> x 2 <sup>1/4</sup>	42	38	12	RC	Black	1 250 g	50 kg	

Article code [mm] kg Price/€

### rim hollow PA6 GF15%

PUW02007-38-H	310 x 42	12 <sup>1/2</sup> x 2 <sup>1/4</sup>	42	38	12	EWC	Grey	1 660 g	50 kg	
PUW02007B-38-H	310 x 42	12 <sup>1/2</sup> x 2 <sup>1/4</sup>	42	38	12	EWC	Black	1 660 g	50 kg	

Article code [mm] kg Price/€

### rim standard PA6 GF15%

PUW02006-52	310 x 42	12 <sup>1/2</sup> x 2 <sup>1/4</sup>	42	52	12	RC	Grey	1 100 g	50 kg	
PUW02006B-52	310 x 42	12 <sup>1/2</sup> x 2 <sup>1/4</sup>	42	52	12	RC	Black	1 100 g	50 kg	

Article code [mm] kg Price/€

### rim standard PA6 GF15%

PUW01616-52	300 x 48	12 <sup>1/2</sup> x 2 <sup>1/4</sup>	48	52	12	SWIFT	Grey	1 200 g	50 kg	
PUW01616B-52	300 x 48	12 <sup>1/2</sup> x 2 <sup>1/4</sup>	48	52	12	SWIFT	Black	1 200 g	50 kg	


12"

# Wheels with Polyurethane Tyre



## 12" Wheels with Polyurethane Tyre

DESCRIPTION:  
Light plastic wheel for wheelchairs.



Article code [mm] kg Price/€

### rim standard PA6 GF15%



Article code	[mm]								kg	Price/€
PUW30011-52	330 x 55	12 <sup>1/2</sup> x 2 <sup>1/4</sup>	55	52	12	M28	Grey	1 565 g	50 kg	
PUW30011B-52	330 x 55	12 <sup>1/2</sup> x 2 <sup>1/4</sup>	55	52	12	M28	Black	1 565 g	50 kg	

Article code [mm] kg Price/€

### rim PPCP



Article code	[mm]								kg	Price/€
PUW3006-48	310 x 42	12 <sup>1/2</sup> x 2 <sup>1/4</sup>	42	48	12	RC	Grey	1 020 g	45 kg	
PUW3006B-48	310 x 42	12 <sup>1/2</sup> x 2 <sup>1/4</sup>	42	48	12	RC	Black	1 020 g	45 kg	

Article code [mm] kg Price/€

### rim PPCP



Article code	[mm]								kg	Price/€
PUW3007-48	295 x 45	12 <sup>1/2</sup> x 2 <sup>1/4</sup>	45	48	12	FLAT	Grey	885 g	45 kg	
PUW3007B-48	295 x 45	12 <sup>1/2</sup> x 2 <sup>1/4</sup>	45	48	12	FLAT	Black	885 g	45 kg	

**PA6 GF15%** is a 15% glass fibre reinforced, heat stabilised polyamide 6 with medium stiffness and strength.

**PPCP** or polypropylene copolymer is a thermoplastic polymer material. This form is a bit softer but has a high impact strength.



REHAB Europe s.r.o.  
Nádražní 48  
514 01 Jilemnice  
Czech Republic  
Phone: +420 737 262 162  
Email: vladimir@rehabeurope.cz

REHAB Europe s.r.o.

---

# Wheels with Rubber Tyre

---




5"

# Wheels with Solid Rubber Tyre



## 5" Wheels with Solid Rubber Tyre

DESCRIPTION:  
Plastic wheel with solid rubber tyre for wheelchairs.




Article code	[mm]								kg ↓↓	Price/€
RUBW1001-45	125 × 40	125	40	45	8	Smooth	Grey	395 g	35 kg	
RUBW1001B-45	125 × 40	125	40	45	8	Smooth	Black	395 g	35 kg	

6"



## 6" Wheels with Solid Rubber Tyre

DESCRIPTION:  
Plastic wheel with solid rubber tyre for wheelchairs.



Article code	[mm]								kg ↓↓	Price/€
RUBW1002-45	140 × 40	140	40	45	8	Smooth	Grey	535 g	40 kg	
RUBW1002B-45	140 × 40	140	40	45	8	Smooth	Black	535 g	40 kg	



REHAB Europe s.r.o.  
Nádražní 48  
514 01 Jilemnice  
Czech Republic  
Phone: +420 737 262 162  
Email: vladimir@rehabeuropa.cz

## Profile Treads



ECO LN




ECO LN (Black)



ECO RX



ECO RX (Black)



WC



WC (Black)



KB



KB (Black)



KL



KL (Black)




KLB (Dark Grey)



KLB (Yellow)



PYD (Black)



KDB




HD



INSERT



DK



DK (Red-Black)


## Legend



Wheel diameter  
[mm]



Wheel width  
[mm]



Hub length  
[mm]



Axle diameter  
[mm]



Profile Treads



Colours



Weight [g]



Load capacity [kg]

REHAB Europe s.r.o.

---

# Rear Wheels Aluminium & Plastic

---



# 24"


# Aluminium Spoke Wheels



## 24" Aluminium Spoke Wheels

**DESCRIPTION:**

- Complete wheel for wheelchair
- aluminium rim - silver anodized
- aluminium pushrim - silver anodized - polyurethane tyre
- 36 steel spokes
- steel hub - black powder coating
- bearing 6001 2RS - 12 mm



Article code	[inch]								kg ↓ kg	Price/€
PUW01102	24 × 1 3/8	600	30	53	12	ECO-LN	Grey	1 760 g	80 kg	
PUW01102B	24 × 1 3/8	600	30	53	12	ECO-LN	Black	1 760 g	80 kg	

Article code	[inch]								kg ↓ kg	Price/€
PUW01101	24 × 1	600	25	53	12	WC	Grey	1 700 g	80 kg	
PUW01101B	24 × 1	600	25	53	12	WC	Black	1 700 g	80 kg	



REHAB Europe s.r.o.  
 Nádražní 48  
 514 01 Jilemnice  
 Czech Republic  
 Phone: +420 737 262 162  
 Email: vladimir@rehabeurope.cz



24"


# Plastic Spoke Wheels



## 24" Plastic Spoke Wheels

**DESCRIPTION:**

- Complete plastic wheel for wheelchair
- plastic rim (9 spokes)
- aluminium pushrim - silver anodized - polyurethane tyre
- bearing 6201 2RS - 12 mm



Article code      [inch]                                    kg      Price/€

**With aluminium pushrim**

<b>PUW01001BB</b>	24 × 1 3/8	600	30	53	12	ECO-LN	Black	2 195 g	80 kg	
<b>PUW01001GG</b>	24 × 1 3/8	600	30	53	12	ECO-LN	Grey	2 195 g	80 kg	

**With plastic pushrim**

<b>PUW01002BB</b>	24 × 1 3/8	600	30	53	12	ECO-LN	Black	2 195 g	80 kg	
<b>PUW01002GG</b>	24 × 1 3/8	600	30	53	12	ECO-LN	Grey	2 195 g	80 kg	

**NO pushrim**

<b>PUW02101BB</b>	24 × 1 3/8	600	30	53	12	ECO-LN	Black	1 950 g	80 kg	
<b>PUW02101GG</b>	24 × 1 3/8	600	30	53	12	ECO-LN	Grey	1 950 g	80 kg	



REHAB Europe s.r.o.  
 Nádražní 48  
 514 01 Jilemnice  
 Czech Republic  
 Phone: +420 737 262 162  
 Email: vladimir@rehabeurope.cz



REHAB Europe s.r.o.


---

# POLYURETHANE TYRES

---




## Profile Treads



type	ECO LN	ECO RX	WC	KB	KL
26"			●		
24"	●	●	●	●	●
22"			●	●	
20"			●		
16"					
12"					


### Size Markings

Current dimensions markings on tires.



**ETRTO (ISO)**  
37 - 622

In mm approximate  
tire width - rim diameter




**Inch markings**  
28 × 1 5/8 × 1 3/8

In inch approximate  
tire outer diameter × tire height  
(optional) × tire width







REHAB Europe s.r.o.  
Nádražní 48  
514 01 Jilemnice  
Czech Republic  
Phone: +420 737 262 162  
Email: vladimir@rehabeurope.cz



type	KLB	PYD	KDB	HD	INSERT	DK
26"		●				
24"	●	●				
22"		●		●		
20"			●		●	●
16"			●			
12"						

**Hardness**

- 1 = 5-6 Bar
- 2 = 6-7 Bar
- 3 = 7-8 Bar
- 4 = 8-9 Bar




**Base**

- A = 16 - 18 mm
- B = 18 - 20 mm
- C = 19 - 21 mm
- D = 21 - 22 mm



ETRTO  
ISO 5775

# WC



26 × 1"

Article code	[inch]							ETRTO		
PUT00046B-3C	26" × 1"							WC	Black	8-9 Bar


25 × 1"

Article code	[inch]							ETRTO		
PUT00039B-4C	25" × 1"							WC	Black	8-9 Bar



REHAB Europe s.r.o.  
 Nádražní 48  
 514 01 Jilemnice  
 Czech Republic  
 Phone: +420 737 262 162  
 Email: vladimir@rehabeurope.cz

## WC




24 × 1 3/8"

Article code	[inch]							ETRTO		
PUT00004-1C	24" × 1 3/8"	24	32	19-21	540	WC	37-540	Grey	5-6 Bar	
PUT00004B-1C	24" × 1 3/8"	24	23	19-21	540	WC	37-540	Black	5-6 Bar	
PUT00004-2C	24" × 1 3/8"	24	32	19-21	540	WC	37-540	Grey	6-7 Bar	
PUT00004B-2C	24" × 1 3/8"	24	23	19-21	540	WC	37-540	Black	6-7 Bar	
PUT00004-3C	24" × 1 3/8"	24	32	19-21	540	WC	37-540	Grey	7-8 Bar	
PUT00004B-3C	24" × 1 3/8"	24	23	19-21	540	WC	37-540	Black	7-8 Bar	
PUT00004-4C	24" × 1 3/8"	24	32	19-21	540	WC	37-540	Grey	8-9 Bar	
PUT00004B-4C	24" × 1 3/8"	24	23	19-21	540	WC	37-540	Black	8-9 Bar	

24 × 1"

Article code	[inch]							ETRTO		
PUT00006-1C	24" × 1"	20	25	19-21	540	WC	25-540	Grey	5-6 Bar	
PUT00006DG-1C	24" × 1"	20	25	19-21	540	WC	37-540	Dark Grey	5-6 Bar	
PUT00006-2C	24" × 1"	20	25	19-21	540	WC	37-540	Grey	6-7 Bar	
PUT00006-3C	24" × 1"	20	25	19-21	540	WC	37-540	Grey	7-8 Bar	
PUT00006-4C	24" × 1"	20	25	19-21	540	WC	37-540	Grey	8-9 Bar	
PUT00006B-4C	24" × 1"	20	25	19-21	540	WC	37-540	Black	8-9 Bar	
PUT00006-2D	24" × 1"	20	25	19-21	540	WC	37-540	Grey	6-7 Bar	
PUT00006B-2D	24" × 1"	20	25	19-21	540	WC	37-540	Blac	6-7 Bar	

# WC



22 × 1 3/8"


Article code	[inch]							ETRTO		
PUT00003-1C	22" × 1 3/8"	24	32	19-21	489	WC	37-489	Grey	5-6 Bar	
PUT00003B-1C	22" × 1 3/8"	24	32	19-21	489	WC	37-489	Black	5-6 Bar	
PUT00003-2C	22" × 1 3/8"	24	32	19-21	489	WC	37-540	Grey	6-7 Bar	
PUT00003B-2C	22" × 1 3/8"	24	32	19-21	489	WC	37-540	Black	6-7 Bar	
PUT00003-3C	22" × 1 3/8"	24	32	19-21	489	WC	37-540	Grey	7-8 Bar	
PUT00003B-3C	22" × 1 3/8"	24	32	19-21	489	WC	37-540	Black	7-8 Bar	
PUT00003-4C	22" × 1 3/8"	24	32	19-21	489	WC	37-540	Grey	8-9 Bar	
PUT00003B-4C	24" × 1 3/8"	24	32	19-21	489	WC	37-540	Black	8-9 Bar	

22 × 1"

Article code	[inch]							ETRTO		
PUT00042-4A	22" × 1"	19	23	16-18	451	WC	25-501	Grey	8-9 Bar	
PUT00003B-1C	22" × 1"	19	23	16-18	451	WC	25-501	Black	8-9 Bar	
PUT00008-1C	22" × 1"	20	25	19-21	489	WC	25-489	Grey	5-6 Bar	
PUT00008B-1C	22" × 1"	20	25	19-21	489	WC	25-489	Black	5-6 Bar	
PUT00008-4C	22" × 1"	20	25	19-21	489	WC	25-489	Grey	8-9 Bar	
PUT00008B-4C	22" × 1"	20	25	19-21	489	WC	25-489	Black	8-9 Bar	



# WC



## 20 × 1 3/8"

Article code	[inch]							ETRTO		
PUT00002-1C	20" × 1 3/8"	24	31	19-21	451	WC	37-451	Grey	5-6 Bar	
PUT00002B-1C	20" × 1 3/8"	24	31	19-21	451	WC	37-451	Black	5-6 Bar	
PUT00002-2C	20" × 1 3/8"	24	31	19-21	451	WC	37-451	Grey	6-7 Bar	
PUT00002B-2C	20" × 1 3/8"	24	31	19-21	451	WC	37-451	Black	6-7 Bar	
PUT00002-3C	20" × 1 3/8"	24	31	19-21	451	WC	37-451	Grey	7-8 Bar	
PUT00002B-3C	20" × 1 3/8"	24	31	19-21	451	WC	37-451	Black	7-8 Bar	
PUT00002-4C	20" × 1 3/8"	24	31	19-21	451	WC	37-451	Grey	8-9 Bar	
PUT00002B-4C	20" × 1 3/8"	24	31	19-21	451	WC	37-451	Black	8-9 Bar	









## 20 × 1"

Article code	[inch]							ETRTO		
PUT00040B-4A	20" × 1"	19	23	16-18	451	WC	25-451	Black	8-9 Bar	
PUT00040-4A	20" × 1"	19	23	16-18	451	WC	25-451	Grey	8-9 Bar	

# KLB



24 × 1 3/8"

Article code	[inch]							ETRTO		
<b>PUT00005-2A</b>	24" × 1 3/8"	24	31	18-20	540	<b>KLB</b>	37-540	Grey	6-7 Bar	
<b>PUT00005-2C</b>	24" × 1 3/8"	24	31	19-21	540	<b>KLB</b>	37-540	Grey	5-6 Bar	
<b>PUT00005-1C</b>	24" × 1 3/8"	24	31	19-21	540	<b>KLB</b>	37-540	Grey	5-6 Bar	
<b>PUT00005DG-1C</b>	24" × 1 3/8"	24	31	19-21	540	<b>KLB</b>	37-540	Dark Grey	6-7 Bar	
<b>PUT00005DG-2C</b>	24" × 1 3/8"	24	31	19-21	540	<b>KLB</b>	37-540	Dark Grey	6-7 Bar	
<b>PUT00005-3C</b>	24" × 1 3/8"	24	31	19-21	540	<b>KLB</b>	37-540	Grey	7-8 Bar	
<b>PUT00005DG-1D</b>	24" × 1 3/8"	24	31	21-22	540	<b>KLB</b>	37-540	Dark Grey	5-6 Bar	
<b>PUT00005DG-2D</b>	24" × 1 3/8"	24	31	21-22	540	<b>KLB</b>	37-540	Dark Grey	6-7 Bar	

# KL



24 × 1

Article code	[inch]							ETRTO		
<b>PUT00007DG-2A</b>	24" × 1"		21	25	16-18	540	<b>KL</b>	25-540	Dark Grey	6-7 Bar
<b>PUT00010-2B</b>	24" × 1"		21	25	18-20	540	<b>KL</b>	37-540	Grey	6-7 Bar
<b>PUT00007-2C</b>	24" × 1"		21	25	19-21	540	<b>KL</b>	37-540	Grey	6-7 Bar
<b>PUT00007DG-2C</b>	24" × 1"		21	25	19-21	540	<b>KL</b>	37-540	Dark Grey	6-7 Bar
<b>PUT00007B-2C</b>	24" × 1"		21	25	19-21	540	<b>KL</b>	37-540	Black	6-7 Bar
<b>PUT00007DG-3C</b>	24" × 1"		21	25	19-21	540	<b>KL</b>	37-540	Dark Grey	7-8 Bar
<b>PUT00007-2D</b>	24" × 1"		21	25	21-22	540	<b>KL</b>	37-540	Grey	6-7 Bar

# KB




24 × 1 3/8"

Article code	[inch]							ETRTO		
PUT00034-2C	24" × 1 3/8"	26	32	19-21	540	KB	37-540	Grey	6-7 Bar	
PUT00034B-2C	24" × 1 3/8"	26	32	19-21	540	KB	37-540	Black	6-7 Bar	
PUT00034B-4C	24" × 1 3/8"	26	32	19-21	540	KB	37-540	Black	8-9 Bar	

22 × 1 3/8"

Article code	[inch]							ETRTO		
PUT00033-1C	22" × 1 3/8"	26	33	19-21	489	KB	37-489	Grey	5-6 Bar	
PUT00033B-2C	22" × 1 3/8"	26	33	19-21	489	KB	37-489	Black	6-7 Bar	
PUT00033-2C	22" × 1 3/8"	26	33	19-21	489	KB	37-489	Grey	6-7 Bar	
PUT00035-2C	22" × 1 3/8"	26	33	19-21	501	KB	37-501	Grey	6-7 Bar	

# ECO-LN



24 × 1 3/8"

Article code	[inch]							ETRTO		
PUT00106-2C	24" × 1 3/8"	610	30	23	19-21	540	ECO-LN	37-540	Grey	6-7 Bar
PUT00106B-2C	24" × 1 3/8"	610	30	23	19-21	540	ECO-LN	37-540	Black	6-7 Bar

# ECO-RX



24 × 1 3/8"

Article code	[inch]							ETRTO		
PUT00104-2C	24" × 1 3/8"	610	29	23	19-21	540	ECO-RX	37-540	Grey	6-7 Bar
PUT00104B-2C	24" × 1 3/8"	610	29	23	19-21	540	ECO-RX	37-540	Black	6-7 Bar


# KDB



20 × 1,75"  
16 × 1,75"

Article code	[inch]							ETRTO		
PUT01002-2	20" × 1,75"	610	30	23	23-26	540	<b>KDB</b>	37-540	Black	6-7 Bar
PUT55006	16" × 1,75"			27	19-21	3	<b>KDB</b>	47-305	Grey	6-7 Bar

# PYD




22 × 1"  
24 × 1"

Article code	[inch]							ETRTO		
PUT00024	22" × 1"	517	14	27	19	489	<b>PYD</b>	25-489	Black	8-9 Bar
PUT00023	24" × 1"	568	14	28	18	540	<b>PYD</b>	25-540	Black	8-9 Bar

# Polyurethane Parts

---




# Arm Rest PU

## 380 × 58 × 32 mm (Polyurethane)



**DESCRIPTION:**

- Arm Rest
- hole distance 175 mm
- for flat bar




Article code	L [mm]	H [mm]	V [mm]		Price/€
<b>ARP3805832-FB</b>	380	58	32	Black	

## 380 × 58 × 32 R+L (4+4) mm (Polyurethane)



**DESCRIPTION:**

- with riveting nut M5 (4 + 4)
- on both sides
- for ROUND tube
- short
- hole distance 0 mm + 90 mm + 150 mm + 260 mm




Article code	L [mm]	H [mm]	V [mm]		Price/€
<b>ARP3805832-RT-8-L</b> <b>ARP3805832-RT-8-R</b>	380	58	32	Black	

## 370 × 50 × 30 mm (Polyurethane)



**DESCRIPTION:**

- Arm Rest
- hole distance 240 mm
- hole distance 228 mm



Article code	L [mm]	H [mm]	V [mm]		Price/€
<b>ARP3705030</b>	370	50	30	Black	




# Arm Rest PU

## 365 × 48 × 25 mm (Polyurethane)



DESCRIPTION:  
Arm Rest  
• hole distance 255 mm




Article code	L [mm]	H [mm]	V [mm]		Price/€
ARP3654825	365	48	25	Black	

## 350 × 122 × 35 mm (Polyurethane)



DESCRIPTION:  
Arm Rest




Article code	L [mm]	H [mm]	V [mm]		Price/€
ARP35012235	350	122	35	Black	

## 345 × 52 × 20 mm (Polyurethane)



DESCRIPTION:  
Arm Rest  
• hole distance 137,5 mm




Article code	L [mm]	H [mm]	V [mm]		Price/€
ARP3455220	345	52	20	Black	

# Arm Rest PU

## 330 × 60 × 24 mm (Polyurethane)



DESCRIPTION:  
Arm Rest  
• hole distance 178 mm




Article code	L [mm]	H [mm]	V [mm]		Price/€
ARP3306024	330	60	24	Black	

## 330 × 50 × 25 mm (Polyurethane)



DESCRIPTION:  
Arm Rest (Big II)  
• hole distance 260 mm




Article code	L [mm]	H [mm]	V [mm]		Price/€
ARP3305025	330	50	25	Black	

## 315 × 42 × 30 mm (Polyurethane)



DESCRIPTION:  
Arm Rest (Big)




Article code	L [mm]	H [mm]	V [mm]		Price/€
ARP3154230	315	42	30	Black	

# Arm Rest PU

## 303 × 59 × 37 R+L (Polyurethane)



DESCRIPTION:  
Arm Rest  
• hole distance 168 mm




Article code	L [mm]	H [mm]	V [mm]		Price/€
ARP3035937-R ARP3035937-L	303	59	37	Black	

## 300 × 50 × 35 mm (Polyurethane)



DESCRIPTION:  
Arm Rest  
• hole distance 200 mm




Article code	L [mm]	H [mm]	V [mm]		Price/€
ARP3005035	300	50	35	Black	

## 290 × 180 × 32 mm (Polyurethane)



DESCRIPTION:  
Calf Pad  
• hole distance 150 mm




Article code	L [mm]	H [mm]	V [mm]		Price/€
ARP29018032	290	180	32	Black	

# Arm Rest PU

## 280 × 59 × 28 mm (Polyurethane)



DESCRIPTION:  
Arm Rest




Article code	L [mm]	H [mm]	V [mm]		Price/€
<b>ARP2805928</b>	280	59	28	Black	

## 280 × 60 × 30 mm (Polyurethane)



DESCRIPTION:  
Arm Rest




Article code	L [mm]	H [mm]	V [mm]		Price/€
<b>ARP2806030</b>	280	60	30	Black	

## 280 × 58 × 32 mm (Polyurethane)



DESCRIPTION:  
Arm Rest  
• hole distance 175 mm  
• for flat bar



Article code	L [mm]	H [mm]	V [mm]		Price/€
<b>ARP2805832-FB</b>	280	58	32	Black	


# Arm Rest PU

## 280 × 58 × 32 R+L (3+3) mm (Polyurethane)



**DESCRIPTION:**

- with riveting nut M5 (3 + 3)
  - on the both sides
- for ROUND tube
- short
- hole distance 0 mm + 61 mm + 150 mm



Article code



Price/€

ARP2805832-RT-6

280

58

32


Black

## 267 × 54 × 26 mm (Polyurethane)



**DESCRIPTION:**

- hole distance 128 mm
- hole distance 83 mm
- M5



Article code



Price/€

ARP26755426

267

54

26


Black

## 265 × 55 × 26 (Polyurethane)



**DESCRIPTION:**

- hole distance 128 mm
- hole distance 82 mm
- M5



Article code



Price/€

ARP2655526

265

55

26


Black

# Arm Rest PU

## 240 × 42 × 30 mm (Polyurethane)



DESCRIPTION:  
Arm Rest (Small)  
• hole distance 105 mm




Article code	L [mm]	H [mm]	V [mm]		Price/€
ARP2404230	240	42	30	Black	

## 235 × 145 × 35 mm (Polyurethane)



DESCRIPTION:  
Arm Rest




Article code	L [mm]	H [mm]	V [mm]		Price/€
ARP23514535	235	145	35	Black	

## 235 × 50 × 26 mm (Polyurethane)



DESCRIPTION:  
• hole distance 125 mm  
• hole distance 83 mm  
• M5




Article code	L [mm]	H [mm]	V [mm]		Price/€
ARP265526	235	50	26	Black	

# Arm Rest PU

## 220 × 42 × 30 mm (Polyurethane)



DESCRIPTION:  
Arm Rest  
• hole distance 150 mm




Article code	L [mm]	H [mm]	V [mm]		Price/€
ARP2204230	220	42	30	Black	

## 210 × 36 × 36 mm (Polyurethane)



DESCRIPTION:  
Arm Rest




Article code	L [mm]	H [mm]	V [mm]		Price/€
ARP2103636	210	36	36	Black	

## 200 × 42 × 20 mm (Polyurethane)



DESCRIPTION:  
Arm Rest  
• hole distance 140 mm



Article code	L [mm]	H [mm]	V [mm]		Price/€
ARP2004220	200	42	20	Black	


# Arm Rest PU

## 175 × 50 × 26 mm (Polyurethane)



**DESCRIPTION:**

- hole distance 83 mm
- hole distance 17 mm
- M5




Article code	L [mm]	H [mm]	V [mm]		Price/€
ARP1755026	175	50	26	Black	

## 165 × 145 × 40 mm (Polyurethane)



**DESCRIPTION:**  
Arm Rest




Article code	L [mm]	H [mm]	V [mm]		Price/€
ARP16514540	165	145	40	Black	

## 165 × 110 × 40 mm (Polyurethane)



**DESCRIPTION:**  
Arm Rest



Article code	L [mm]	H [mm]	V [mm]		Price/€
ARP16511040	165	110	40	Black	








# Arm Rest PU

## 156 × 42 × 20 mm (Polyurethane)



DESCRIPTION:  
Arm Rest  
• hole distance 106 mm








Article code	 L [mm]	 H [mm]	 V [mm]		Price/€
ARP1564220	156	42	20	Black	

## 72 × 84 × 20 mm (Polyurethane)



DESCRIPTION:  
Knee Pad  
• hole distance 35 mm



Article code	 L [mm]	 H [mm]	 V [mm]		Price/€
ARP728420	72	84	20	Black	


# Seat cushion (PU foam)



## Seat cushion (PU foam)

Removable polyester cover with zipper. Výměnný polyesterový potah se zipem.

- washable / omyvatelný
- disinfectable / dezinfikovatelný
- anti-slip protection / protiskluzová ochrana
- different sizes / různé rozměry



Article code mm mm mm

<b>WP383850</b>	380	380	50
<b>WP384050</b>	380	400	50
<b>WP384250</b>	380	420	50
<b>WP384350</b>	380	430	50
<b>WP404050</b>	400	400	50
<b>WP404250</b>	400	420	50
<b>WP434050</b>	430	400	50
<b>WP434250</b>	430	420	50
<b>WP434350</b>	430	430	50
<b>WP434550</b>	430	450	50
<b>WP435050</b>	430	500	50
<b>WP454050</b>	450	400	50
<b>WP454250</b>	450	420	50
<b>WP454550</b>	450	450	50
<b>WP454850</b>	450	480	50
<b>WP484250</b>	480	420	50
<b>WP484350</b>	480	430	50
<b>WP504350</b>	500	430	50
<b>WP514350</b>	510	435	50
<b>WP534350</b>	530	430	50
<b>WP554350</b>	550	430	50
<b>WP604350</b>	600	435	50



REHAB Europe s.r.o.

Nádražní 48  
514 01 Jilemnice  
Czech Republic  
Phone: +420 737 262 162  
Email: vladimir@rehabeuropa.cz



# ICE PEAK




## ICE PEAK – násadec na hůl (protiskluzový)

### DESCRIPTION/POPIS:

For maximum confidence and safety when walking on snow and ice. / Pro maximální jistotu a bezpečnost při chůzi na sněhu a ledu.

- metal folding structure / kovová odklopná konstrukce
- universal use / univerzální použití
- non-slip spikes / protiskluzové hroty



Article code

[mm]



kg  
↓↑

Price/€

Ice peak with thorn  
IP006001-N



124 × 37 × 63 mm

16 ÷ 19,5 mm

30 ÷ 45 mm

stainless  
steel

75 g


max.  
100 kg

Ice peak with  
crown (5 thorn)  
IP006002-N



124 × 37 × 63 mm

SS 304



REHAB Europe s.r.o.

Nádražní 48  
514 01 Jilemnice

Czech Republic

Phone: +420 737 262 162

Email: vladimir@rehabeurope.cz



# Spare Parts Rehab



**REHAB Europe s.r.o.**

Nádražní 48

514 01 Jilemnice

Czech Republic

Phone: +420 737 262 162

Email: [vladimir@rehabeurope.cz](mailto:vladimir@rehabeurope.cz)



Request your quote:

[www.REHABeurope.cz](http://www.REHABeurope.cz)